

Manual Scissor Lift Table



HHS50/100



AXP75-10



ADX75-17



AXP100-10



XP10-73A



XP15-73/15-73F



XP30-90/50-90



XP30-90T/50-90T



XP30-90H/50-90H



XP30-90P/50-90P



XP30-96R/50-96R



XP50-90W



XP75-100/100-100



XP100-100D/150-100D/
200-100D



DXP10-126



DXP35-130



DXP35-130A



DXP100-170D

Specification Data

Model	HHS50	HHS100	Specification			
Load Capacity	kg	500Kg	1000Kg		Model	
Lowest Height	mm	90	90		Load Capacity	kg
Max Height	mm	620/900	900		Lowest Height	mm
Fork Length	mm	860/1100	1100		Max Height	mm
Fork Width	mm	550/685	550/685		Table Dimensions	mm
Single Fork Width	mm	160	160		Total Length	mm
Height of Handle	mm	1030	1030		Length of Handle	mm
Net Weight	kg	84/112	90/118		Net Weight	kg
Packing Dimensions	mm	2200*780*1100	2200*640*1100		Packing Dimensions	mm
Q'ty in one 20'Container		72	72		Q'ty in one 20'Container	

① HHS: Hand hydraulic stacker 50:Cap.

② A: Air Scissors XP: Scissor Lift table 75:Cap. 10: Lifting height D: Dual

model	XP10-73A	XP15-73	XP15-73F	XP30-90	XP50-90	XP30-90T	XP50-90T
Load Capacity	kg	100Kg	150Kg	300Kg	500Kg	300Kg	500Kg
Lowest Height	mm	210	210/330	210	280/390	270	280
Max Height	mm	730	730	730	900	900	900
Table Dimensions	mm	700*400*35	700*450*35	700*450*35	820*500*50	820*500*50	820*500*50
Total Length	mm	900	900	880	1070	1070	1070
Length of Handle	mm	875	875	890	970	970	970
Net Weight	kg	25	41	43	93	104	66
Packing Dimensions	mm	820*410*220	820*460*220/ 820*460*340	820*460*260	900*520*380	900*520*380	940*520*400
Q'ty in one 20'Container		280	280/192	192	140	140	140

model	XP30-90H	XP50-90H	XP30-90P	XP50-90P	XP30-96R	XP50-96R	XP50-90W
Load Capacity	kg	300Kg	300Kg	500Kg	300Kg	500Kg	500Kg
Lowest Height	mm	285/380	270/380	280/390	360	360	280/380
Max Height	mm	900	900	900	960	960	900
Table Dimensions	mm	820*500*50	820*500*50	820*500*50	820*500*50	820*500*50	1600*800*55
Total Length	mm	1150	1200	1070	1070	1070	1830
Length of Handle	mm	1000	980	970	970	970	950
Net Weight	kg	78	85	65	75	75	125
Packing Dimensions	mm	1000*520*400	1000*520*390	900*520*280/ 900*520*390	900*520*290/ 900*520*400	900*520*370	1780*820*390
Q'ty in one 20'Container		140	140	140	140	140	50

③ XP: Scissor Lift table

10: Cap.

73: Lifting height

A: Aluminum

F: Foldable

T: Turning knob type

P: Pull cable type

H: Hold type

R: Roller platform

W: Wider platform size

D: Dual cylinders

model	XP75-100	XP100-100	XP100-100D	XP150-100D	XP200-100D
Load Capacity	kg	750Kg	1000Kg	1500Kg	2000Kg
Lowest Height	mm	410	380	380	380
Max Height	mm	1000	1000	1000	1000
Table Dimensions	mm	1000*512*55	1000*512*55	1200*610	1200*610
Total Length	mm	1350	1350	1600	1600
Length of Handle	mm	970	970	1000	1000
Net Weight	kg	107	113	165	195
Packing Dimensions	mm	1160*600*420	1160*600*420	1400*620*400	1400*620*400
Q'ty in one 20'Container		90	90	65	65

Model	DXP10-126	DXP35-130	DXP35-130A	DXP100-170D
Load Capacity	kg	100Kg	350Kg	1000Kg
Lowest Height	mm	270/330	345/395	500
Max Height	mm	1260	1300	1700
Table Dimensions	mm	700*450*35	905*512*55	1200*610
Total Length	mm	940	1170	1600
Length of Handle	mm	875	970	1000
Net Weight	kg	54	103	246
Packing Dimensions	mm	820*460*340	1000*520*350/1000*520*420	1400*620*510
Q'ty in one 20'Container		192	132/110	52

④ DXP100-170D

D: Dual scissor XP: Scissor Lift table 100: Cap. 170: Lifting height A: Adjustabe lifting speed D: Dual cylinders

Electric Scissor Lift Table



EXP15-74A



EXP25-86A



EXP20-86B



EXP20-130BD



EXP50-132C



EXP30-97BS



BXP30-90/BXP50-90



BXP100-100



BXP35-130D



BXP100-170D



EHS50-90/EHS100-90

Specification Data

	model		EXP15-74A	EXP25-86A	EXP20-86B
Specification	Load Capacity	kg	150Kg	250Kg	200Kg
	Lowest Height	mm	210	380	380
	Max.Height	mm	740	860	860
	Table Dimensions	mm	700*450	820*500	900*600
	Total Length	mm	920	1090	N/A
	Height	mm	875	970	N/A
	Net Weight	kg	42	94	135
	Packing Dimensions	mm	820*460*280	900*520*380	980*620*380
	Qty in one 20'Container		186	140	140

	model		EXP20-130BD	EXP50-132C	EXP30-97BS
Specification	Load Capacity	kg	200Kg	500Kg	300Kg
	Lowest Height	mm	390	864	350
	Max.Height	mm	1300	1320	970
	Table Dimensions	mm	900*600	510*915	820*500
	Total Length	mm	N/A	900	1070
	Height	mm	N/A	864	970
	Net Weight	kg	135	/	90
	Packing Dimensions	mm	980*620*380	930*520*870	900*520*360
	Qty in one 20'Container		132	66	140

	Model		BXP30-90	BXP50-90	BXP100-100	BXP35-130D	BXP100-170D
Specification	Load Capacity	kg	300Kg	500Kg	1000Kg	350Kg	1000Kg
	Lowest Height	mm	315	315	380	390	500
	Max.Height	mm	900	900	1000	1300	1700
	Table Dimensions	mm	820*500	820*500	1200*610	905*512	1200*610
	Outline Dimensions	mm	1070*500*1040	1070*500*1040	1600*610*1000	1250*512*1300	1630*610*1000
	Net Weight	kg	122	132	250	175	334
	Packing Dimensions	mm	1170*530*740	1170*530*740	940*520*400	1250*530*740	1600*620*840

	Model		EHS50-90	EHS100-90
Specification	Load Capacity	kg	500Kg	1000Kg
	Lowest Height	mm	90	90
	Max.Height	mm	900	900
	Fork width	mm	550	680
	Fork Length	mm	1100	1100
	Total Length	mm	1720	1720
	Total Height	mm	1030	1030

- Model Name Explanation:

① **EXP15-74A**
EXP: Electric scissor lift table
15: Cap.
74: Lifting height
A/B/C: Different type
D:Dual scissor
S:Scale

② **BXP30-90**
BXP: Battery scissor lift table
30: Cap.
90:lifting height
D:Dual scissor

③ **EHS**:Electric Hydraulic Stacker
- www.afzaindia.com

Fixed Scissor Lift Table



FX100-178D/FX100-240D



FX200-178D/FX200-178DW



FX100-86L/100-86LW/150-87L/150-87LW/200-87L/200-87LW



FX100-100/FX100-100W



FX200-105/FX200-105W



FX100-U/FX100-UW/FX150-U/FX150-UW



AFXP10

Specification Data

Specification		Models	FX100-178D	FX100-240D	FX200-178D	FX200-178DW
		Load Capacity	kg	1000Kg	2000Kg	2000Kg
		Lowest Height	mm	305	360	360
		Max. Height	mm	1780	1780	1780
		Table Dimensions	mm	1300*820	2200*1300	1300*850
		Net Weight	kg	210	305	295
		Packing Dimensions	mm	1310*830*210	2210*1310*410	1310*860*370
						1610*1010*370

Specification		Model	FX100-86L	FX100-86LW	FX150-87L	FX150-87LW	FX200-87L
		Load Capacity	kg	1000Kg	1000Kg	1500Kg	2000Kg
		Lowest Height	mm	85	85	105	105
		Max.Height	mm	860	860	870	870
		Table Dimensions	mm	1450*1140	1600*1140	1600*800	1600*1000
		Net Weight	kg	357	364	362	401
		Packing Dimensions	mm	N/A	N/A	N/A	N/A
							N/A

Specification		Model	FX200-87LW	FX100-100	FX100-100W	FX200-105	FX200-105W
		Load Capacity	kg	2000Kg	1000Kg	2000Kg	2000Kg
		Lowest Height	mm	105	205	230	230
		Max.Height	mm	870	1000	1050	1050
		Table Dimensions	mm	1600*1200	1300*820	1200*1000	1300*850
		Net Weight	kg	419	160	186	235
		Packing Dimensions	mm	N/A	1310*820*210	1610*1010*210	1310*860*240
							1610*1010*240

Specification		Model	FX100-U	FX100-UW	FX150-U	FX150-UW
		Load Capacity	kg	1000Kg	1500Kg	1500Kg
		Lowest Height	mm	85	85	105
		Max.Height	mm	860	860	860
		Table Dimensions	mm	1420*1140	1420*1340	1600*1160
		"U"Inter Dimensions	mm	1030*560	1030*560	1030*760
		Net Weight	kg	280	380	380

Specification		Model	AFXP10
		Load Capacity	kg
		Lowest Height	mm
		Max.Height	mm
		Table Dimensions	mm
		Packing Dimensions	mm
		Q'ty in one 20'Container	

● Model Name Explanation:

- ① **FX100-178D**
FX: Fixed Scissor lift table
100: Cap.
178: Lifting height
D: Dual scissors
W: Wider table

- ② **FX100-U**
FX: Fixed Scissor lift table
100: Cap.
U: U type platform
W: Wider table

- ③ **FX100-86L**
FX: Fixed Scissor lift table
100: Cap.
86: Lifting height
L: Low profile
W: Wider table

- ④ **AFXP**: Air operate Fixed scissor lift table

Post Lift Table



PL25-124



PL50-137



PL100-137A/B/C



PL45-94/PL45-124



PL91-94/PL91-124



PL182-94/PL182-124



MLT100A/B/C/D



MLT30/MLT50



MXP40



MXP68

Specification Data

Specification						
Model		PL25-124	PL50-137	PL100-137A	PL100-137B	PL100-137C
Load Capacity	kg	250Kg	500Kg		1000Kg	
Lowest Height	mm	790	915		915	
Max.Height	mm	1245	1372		1372	
Table Dimensions	mm	458*458	508*915	610*915	762*915	812*1220
Net Weight	kg	44	83	127	142	185
Packing Dimensions	mm	540*470*800	930*520*920	930*780*920	930*780*920	1240*830*920
Q'ty in one 20'Container		96	44	36	28	22

Specification						
Model		PL45-94	PL45-124	PL91-94	PL91-124	PL182-94
Load Capacity	kg	455Kg	455Kg	910Kg	910Kg	1820Kg
Lowest Height	mm	635	787	635	787	635
Max.Height	mm	940	1245	940	1245	940
Table Dimensions	mm	508*762	508*762	610*915	610*915	610*915
Net Weight	kg	72	78	96	101	116
Packing Dimensions	mm	810*520*800	810*520*800	980*630*800	980*630*800	980*630*800
Q'ty in one 20'Container		87	58	54	36	54

Specification						
Model		PL182-124	MLT100A	MLT100B	MLT100C	MLT100D
Load Capacity	kg	1820Kg	1000Kg	1000Kg	1000Kg	1000Kg
Lowest Height	mm	787	610	610	610	610
Max.Height	mm	1245	1070	1070	1070	1070
Table Dimensions	mm	610*915	610*915	610*1065	726*1065	726*1220
Net Weight	kg	116	128	132	136	142
Packing Dimensions	mm	980*630*800	950*630*570	1100*630*570	1100*740*570	1260*740*570
Q'ty in one 20'Container		36	54	54	42	42

Specification						
Model		MLT30	MLT50	MXP40	MXP68	
Load Capacity	kg	300Kg	500Kg	400Kg	680Kg	
Lowest Height	mm	440	550	180	130	
Max.Height	mm	1000	1000	760	422	
Table Dimensions	mm	950*600	1000*650	2200*650	370*360	
Net Weight	kg	60	70	138	34.5	
Packing Dimensions	mm	1000*620*450	1070*670*560	2230*670*200	900*440*170	
Q'ty in one 20'Container		72	72	64	84	

● **Model Name Explanation:**

② **PL100-137B**

PL: Post Lift table

100: Cap. 1000kg

137: Lifting Height 137cm

ABC: Different platform size

② **MLT:** Mechanical Lift Table

100: Cap. 1000kg

A/B/C/D: Different table size

③ **MXP:** Motorcycle Scissor lift table

AFZA Material Handling and Storage Systems

S. No.156/3 (D.No.4/46D), Masthan Nagar,
Gangaleri Village&Post, Royakottai Road,
Krishnagiri-635 122, Tamil Nadu, India.
Office Phone No.:+91-97888-57733
Mobile: +91-97509-57733, +91-77083-00206
WhatsApp No: +91-97509-57733
Wechat: afzaIndia, Skype: afzaIndia
E-mail: afzaIndia@gmail.com, afzaIndia@yahoo.com, abdulali.a@afzaIndia.com
website: <http://www.exportersindia.com/afzamaterial/>, www.facebook.com/afzaIndia,
<http://www.indiamart.com/afza-material-handling/>